

UNITED ATF 9HP LONG LIFE

Product Description

Premium automatic transmission fluid based on an advanced synthetic technology allowing very high performance needed for the demanding requirements of 9HP automatic gearboxes. It is formulated with selected high viscosity index synthetic PAO base stock and latest additive technology that provides excellent oxidation stability and constant friction characteristics for a wide variety of 9-speed automatic transmission requirements. The excellent thermal-stability and corrosion prevention ensures a hassle-free, smooth-running auto transmission all year round and thus extended service life of bearings and gears.

This product helps to reduce the entire driveline's energy consumption while raising driving performance and comfort, and is suitable for use in the latest 9HP-Series (9 speed automatic transmissions), 8HP-Series and 6HP-Series transmissions.

This product is not suitable for use in DCT/DSG (double clutch) or CVT (continuously variable automatic) transmissions.

Applications / Benefits

- * Excellent thermal and oxidation stability
- * Superior protection against wear, rust and corrosion
- * Excellent viscosity stability in operation
- * Reduced maintenance costs

Typical Characteristics

Test Description	Method	Unit	
Density @ 15 °C	ASTM D 4052	kg/L	0.835
Flash Point	ASTM D 92	°C	196
Pour Point	ASTM D 97	°C	-45
Kinematic Viscosity @ 40°C	ASTM D 445	cSt	25.04
Kinematic Viscosity @ 100°C	ASTM D 445	cSt	5.71
Viscosity Index	ASTM D 2270	-	181

Specifications, Approvals & Recommendations

* AISIN	JWS 3324 ATF, ATF-OWS
* ATF	134
* ATF	3353
* ATF	DX VI
* ATF	L12108
* ATF	M-1375.4
* ATF	M-1375.6
* BENTLY	P/N PY112995PA
* BMW	ATF3+
* BMW	ATF 6
* BMW	M-L12108
* BMW	P/N 83 22 0 142 516
* BMW	P/N 83 22 0 397 114
* BMW	P/N 83 22 2 152 426
* BMW	P/N 83 22 2 163 514
* BMW	P/N 83 22 2 289 720
* BMW	P/N 83 22 2 305 396
* BMW	P/N 83 22 2 305 397
* BMW	P/N 83 22 2 355 599
* BMW	P/N 83 22 2 355 601
* FCA	8 & 9 Speed ATF, P/N 68218925AA/AB
* FCA	AW-1, P/N 68092912AA
* FCA	FIAT 9.55550-AV2
* FCA	FIAT 9.55550-AV5
* FCA	FIAT 9.55550-AV6
* FCA	P/N 05127382
* FCA	P/N 68157995AA/AB
* FCA	SP-IV, P/N 68171866AA
* FCA	SP-IV, P/N 68171869AA
* FORD	P/N XT-10-QLV [LV]
* FORD	P/N XT-6-QSP
* GM	AW1, P/N 19256039
* GM	DEX HP [GMW 16974]
* GM	P/N 88863400
* GM	P/N 88863401
* HONDA / ACURA	ATF DW-1 P/N (08200-9008)
* HONDA / ACURA	ATF Type 3.0 (08200-9016-A)
* HONDA / ACURA	ATF Type 3.1 (08200-9017)
* HYUNDAI / KIA	SP-IV
* HYUNDAI / KIA	P/N 040000C90SG
* HYUNDAI / KIA	SP4-M1
* HYUNDAI / KIA	SPH-IV

Specifications, Approvals & Recommendations

* HYUNDAI / KIA	SP-IV-RR
* HYUNDAI / KIA	WS, spec NWS-9638
* ISUZU	ATF WSI
* ISUZU	SCS
* JAGUAR	02JDE 26444
* JAGUAR	FLUID 8432
* JAMA	JASO M315, Class 1-A-LV
* LAND ROVER	AW-1 P/N LR0022460: LV
* LAND ROVER	P/N TYK500050
* LAND ROVER	LR 023288/023289
* MASERATI	OIL NO. 231603
* MAZDA	ATF FZ
* MERCEDES / DAIMLER	MB 236.12
* MERCEDES / DAIMLER	MB 236.14
* MERCEDES / DAIMLER	MB 236.41
* MITSUBISHI	ATF-J3
* MITSUBISHI	DIA QUEEN ATF-MA1, P/N MZ320775
* MITSUBISHI	DIA QUEEN ATF-PA,P/N 4030401
* MITSUBISHI	SP-IV
* NISSAN / INFINITY	MATIC R, P/N 999MP-MTR00P
* NISSAN / INFINITY	MATIC-S, P/N 999MP-MTS00P
* NISSAN / INFINITY	MATIC-W
* PORSCHE	P/N 000 043 304 00
* PORSCHE	P/N 000 043 304 01
* PORSCHE	P/N 000 043 305 43
* PORSCHE	P/N 000 043 305 54
* PORSCHE	P/N 000 043 306 24
* PORSCHE	P/N 958 300 540 00
* SAAB	P/N 93 165 147
* SUBARU	ATF-WS
* SUZUKI	MATIC S
* TOYOTA	ATF FZ
* TOYOTA	JWS 3324, ATF WS (or NWS9638)
* VOLVO	P/N 31256774, 31256775
* VOLKSWAGEN / AUDI	G 052 533
* VOLKSWAGEN / AUDI	G 055 005 A2
* VOLKSWAGEN / AUDI	G 055162 A2 or A6
* VOLKSWAGEN / AUDI	G 055 540 A2
* VOLKSWAGEN / AUDI	G 060 162 A2
* ZF	LIFEGUARDFLUID 6 (ZF No. S671 090 255)
* ZF	LIFEGUARDFLUID 8 (ZF No. S671 090 312)
* ZF	LIFEGUARDFLUID 9 (ZF No. AA01.500.001)

Reference No.
5392G3PAOATFREVO

Last revised date:
03-10-24